











CABINET LED CORNER





LOW-VOLTAGE UNDER CABINET LUMINAIRES




	EAN	W	lm	K	°(°C)	V~	mA	Hz	PF	👤
CABINET LED CORNER 35 CM	4058075268227	5	320	3000	-20...+40	220-240	50	50/60	>0.5	0.2 kg
CABINET LED CORNER 35 CM TWO LIGHT	4058075227910	9	640	3000	-20...+40	220-240	90	50/60	>0.5	0.4 kg
CABINET LED CORNER 55 CM	4058075227958	7.5	480	3000	-20...+40	220-240	70	50/60	>0.5	0.3 kg
CABINET LED CORNER 55 CM TWO LIGHT	4058075268265	12	800	3000	-20...+40	220-240	120	50/60	>0.5	0.6 kg





	EAN	This product contains a light source of energy efficiency class	Contained Light Source
CABINET LED CORNER 35 CM	4058075268227	G	
CABINET LED CORNER 35 CM TWO LIGHT	4058075227910	G	
CABINET LED CORNER 55 CM	4058075227958	F	
CABINET LED CORNER 55 CM TWO LIGHT	4058075268265	F	



C10449057
G11130339
08.10.2021



LEDVANCE GmbH
Steinerne Furt 62
86167 Augsburg, Germany
www.ledvance.com